

SECTION1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product code : SPIC & SPAN PAVIMENTI CEDRO e BERGAMOTTO

Trades code :

UFI: 8410-H0KJ-G003-8XNE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Hard Surfaces and Floors Cleaners

Sectors of use:

Industrial Manufacturing (all)[SU3], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Product category:

Non-metal-surface treatment products

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

CONTER Srl- Viale Europa, 12 - 26855 Lodi Vecchio (LO) - ITALY

Tel. +39 0371.4631 Fax +39 0371.460474

n° Verde : 800951541

e-mail : conter@conter.com

SITO WEB : www.conter.com

1.4. Emergency telephone number

CONTER Srl - n° Verde : +39 800951541 - (H24)

Azienda Ospedaliera S.G.Battista - Molinette - Torino - 011/6637637

Clinica Del Lavoro E Della Riabilitazione- Pavia - 0382/24444

Università Degli Studi Di Padova - Padova - 049/8275078 04

Istituto Scientifico G. Gaslini - Genova - 010/5636245

Azienda Ospedaliera Careggi - Firenze - 055/4277238

Policlinico A.Gemelli - Univ. Cattolica Del Sacro Cuore - Roma - 06/3054343

Centro Antiveneni - Università La Sapienza - Roma - 06/49970698

Centro Antiveneni Azienda Ospedaliera A. Cardarelli - Napoli - 081/7472870

SECTION2. Hazards identification**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07

Hazard Class and Category Code(s):

Eye Irrit. 2

Hazard statement Code(s):

H319 - Causes serious eye irritation.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

 Pictogram, Signal Word Code(s):
 GHS07 - Warning

 Hazard statement Code(s):
 H319 - Causes serious eye irritation.

 Supplemental Hazard statement Code(s):
 EUH208 - Contains 1,2-benzisotiazolinone-3-one, Fragrance. May produce an allergic reaction.

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P264 - Wash hands thoroughly after handling.

Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Contains:

Benzalkonium Chloride 50%, Isotridecanol, ethoxylated, Tetrasodium ethylenediaminetetraacetate, sodium hydroxide, sodium glycolate, 1,2-benzisothiazol-3(2H)-one, Fragrance, Citric acid

Contains (Reg.EC 648/2004):

< 5% perfumes, 1,2-benzisothiazol-3(2H)-one, 1,2-benzisotiazolin-3-one, cationic surfactants, non-ionic surfactants

UFI: 8410-H0KJ-G003-8XNE

2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients
3.1 Substances

Irrelevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
Isotridecanol, ethoxylated	>= 1 < 5%	Acute Tox. 4, H302; Eye Dam. 1, H318 Limits: Eye Irrit. 2, H319 %C <=10;	ND	69011-36-5	931-137-2	NR
Fragrance	>= 0,1 < 1%	Asp. Tox. 1, H304; Skin Irrit. 2, H315;	ND	ND	ND	NR

Substance	Concentration[w/w]	Classification	Index	CAS	EINECS	REACH
		Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1				
Benzalkonium Chloride 50%	>= 0,1 < 1%	Acute Tox. 4, H302; Skin Corr. 1B, H314; Aquatic Acute 1, H400 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	ND	68424-85-1	270-325-2	01-2119970 550-39
Citric acid	< 0,1%	Eye Irrit. 2, H319	ND	5949-29-1	201-069-1	NR

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.
Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.
In case of contact with skin, wash immediately with plenty of water

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Ingestion:

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Avoid contact and inhalation of vapors

At work do not eat or drink.

Wear protective gloves/protective clothing/eye protection/face protection.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.
Keep containers upright and safe by avoiding the possibility of falls or collisions.
Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Industrial Manufacturing (all):

KEEP IN COLD AND DRY PLACE AND KEEP AWAY FROM LIGHT AND HEAT

Public domain (administration, education, entertainment, services, craftsmen):

KEEP IN COLD AND DRY PLACE AND KEEP AWAY FROM LIGHT AND HEAT

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

No data available.

8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing (all):

NO TECHNICAL CONTROL

Public domain (administration, education, entertainment, services, craftsmen):

NO TECHNICAL CONTROL

Individual protection measures:

(a) Eye / face protection
Not needed for normal use.

(b) Skin protection

(i) Hand protection
Not needed for normal use.

(ii) Other
Wear normal work clothing.

(c) Respiratory protection
Not needed for normal use.

(d) Thermal hazards
No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical and chemical properties	Value	Determination method
Appearance	Clear Liquid	
Colour	Yellow	
Odour	Typical	
Odour threshold	not determined	
pH	8.50 - 9.00	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	ca. 100 °C	
Flash point	nonflammable	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	nonflammable	
Upper/lower flammability or explosive limits	irrelevant	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	1.00 - 1.01 g/ml	
Solubility	In water	
Water solubility	Complete	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

9.2. Other information

No data available.

SECTION 10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, inorganic sulfide, strong reducing agents.

It can generate toxic gases to contact with inorganic sulfide, strong reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

ATE(mix) oral = 11.906,7 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = 3.149,2 mg/l/4 h

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation: based on available data, the classification criteria are not met.

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

(d) respiratory or skin sensitisation: based on available data, the classification criteria are not met.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.

(j) aspiration hazard: based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information**12.1. Toxicity**

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No adverse effects

SECTION13. Disposal considerations**13.1. Waste treatment methods**

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Operate according to local or national regulations

SECTION14. Transport information**14.1. UN number or ID number**

Not included in the scope of application regulations concerning the transport of dangerous goods: by road (ADR); by rail (RID); by air (ICAO / IATA); by sea (IMDG).

14.2. UN proper shipping name

None

14.3. Transport hazard class(es)

None

14.4. Packing group

None

14.5. Environmental hazards

None

14.6. Special precautions for user

No data available.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

No data available.

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

16.1. Other information

Points modified compared to previous release: 1.1. Product identifier, 1.2. Relevant identified uses of the substance or mixture and uses advised against, 2.2. Label elements, 2.3. Other hazards, 4.1. Description of first aid measures, 7.1. Precautions for safe handling, 8.2. Exposure controls, 10.5. Incompatible materials, 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008, 12.5. Results of PBT and vPvB assessment, 12.6. Endocrine disrupting properties

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H318 = Causes serious eye damage.

H304 = May be fatal if swallowed and enters airways.

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H319 = Causes serious eye irritation.

H411 = Toxic to aquatic life with long lasting effects.

H314 = Causes severe skin burns and eye damage.

H400 = Very toxic to aquatic life.

Classification based on data of all mixture components